

Package: dcpp (via r-universe)

November 4, 2024

Type Package

Title Fast Computation of Distance Correlations

Version 0.1.0

Date 2023-09-27

Description Fast computation of the distance covariance 'dcov' and distance correlation 'dcor'. The computation cost is only $O(n \log(n))$ for the distance correlation (see Chaudhuri, Hu (2019) <[arXiv:1810.11332](https://arxiv.org/abs/1810.11332)> <[doi:10.1016/j.csda.2019.01.016](https://doi.org/10.1016/j.csda.2019.01.016)>). The functions are written entirely in C++ to speed up the computation.

License GPL (>= 3)

URL <https://dcpp.berrisch.biz/>, <https://github.com/BerriJ/dcpp>

BugReports <https://github.com/BerriJ/dcpp/issues>

Encoding UTF-8

Imports Rcpp (>= 1.0.8)

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.2.3

Suggests testthat (>= 3.0.0)

Config/testthat.edition 3

Repository <https://berrij.r-universe.dev>

RemoteUrl <https://github.com/berrij/dcpp>

RemoteRef HEAD

RemoteSha 10551eb8d5caf7341d30b37351ec9af3186e16c5

Contents

dcor	2
dcov	2

Index

4

dcor*Distance Correlation***Description**

Distance Correlation

Usage`dcor(x, y)`**Arguments**

<code>x</code>	numeric vector
<code>y</code>	numeric vector

ValueReturns a numeric value: the distance correlation between `x` and `y`.**Examples**

```
## Not run:

set.seed(1)
x <- rnorm(1000)
y <- -x ^ 2

dcor(x, y) # dcor shows dependence between x and y
cor(x, y) # cor does not detect any dependence due to nonlinearity

## End(Not run)
```

dcov*Distance Covariance***Description**

Distance Covariance

Usage`dcov(x, y)`

Arguments

x	numeric vector
y	numeric vector

Details

Implements the algorithm described in Chaudhuri, Hu (2019) doi:10.1016/j.csda.2019.01.016 which only has $O(n \log(n))$ complexity.

Value

Returns a numeric value: the distance covariance between x and y.

Examples

```
## Not run:
```

```
set.seed(1)
x <- rnorm(1000)
y <- -x ^ 2

dcov(x, y)
dvov(x, x)
dvov(y, y)

## End(Not run)
```

Index

`dcor`, 2
`dcov`, 2